



Solutions for distributors, dealers and project supply

- Reliable Quality
- Fast Delivery
- Professional Support

 Address: No. 39 Xingye Street, Waihai, Jianghai District, Jiangmen, Guangdong, China.
Building 2, 2nd Floor, Zhengrong Industrial Park.

 Telephone number: 8613296563096

 Email: info@airwit.com

 Website: airwit.com

AIRWIT Ceiling Fan



About Us

AIRWIT is a modern company specializing in the research, development, manufacturing, and sales of ceiling fan lighting products. Located in Jiangmen, Guangdong, our factory brings together talented professionals from various fields, including structural engineering, electronic control, and process engineering. We focus on advanced ceiling fan technology and strictly control every process—from R&D to production and quality inspection—to ensure the performance and quality of each product.

AIRWIT products are certified with international standards such as CE, CB, ETL, and RoHS, and are exported to global markets including North America, Europe, South America, Southeast Asia, the Middle East, and Africa, earning the strong trust of our customers. With a comprehensive quality management system, stable supply chain partners, and a customer-oriented service philosophy, we provide OEM and ODM solutions with excellent cost performance and on-time delivery.

“Quality First, Innovation First, Win-Win Cooperation” is AIRWIT’s unwavering business philosophy. We sincerely welcome customers from home and abroad to visit our factory and collaborate with us to create green, energy-efficient, and comfortable living spaces.

CE FC RoHS





Turbo Motor Technology **6X** Higher Wind Speed

Higher Energy Efficiency

Low Energy Consumption

Lasts **3X** Longer
Than Conventional Motors



Motor 3X More Durable

Longer Lifespan

Only 20 dB



Stable Electronic Control

- **Overvoltage Protection**
- **Overload Protection**
- **Interference Protection**

Create Your Favorite Lighting

LED Panel



High Brightness


Soft, Glare-Free Light

Energy Saving

3 Light Colors

SMT Mounting Process of LEDs on the Circuit Board

In the automated production line, LED modules with lenses are precisely positioned on circuit boards (PCBs) by high-precision CNC machines, ensuring efficiency, consistency, and quality throughout the process.



High-Quality Craftsmanship for an Attractive Design and Longer Lifespan



● Electrophoretic Coating



● CNC Machining



● Powder Coating

Best-Selling Model--60010(42inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 107 \times 47$ cm (A)
- ② Material: Plywood / Acrylic / Iron / Copper
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source: 20 W
- ⑥ Control method: Wireless 433 MHz / Wall controller
- ⑦ Maximum speed: ≤ 230 rpm
- ⑧ Remote control range: > 12 meters
- ⑨ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: $44 \times 33 \times 19$ cm
Net weight of item: 3.68 kg
Gross weight of item: 4.62 kg
Quantity per carton: 3 pieces
Outer carton dimensions: $60 \times 34 \times 45.5$ cm
Total carton weight: 14.8 kg

Best-Selling Model--70003(42inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 21 W
- ⑤ Remote control: Wireless 433 MHz / Wall-mounted control
- ⑥ Maximum speed: ≤ 257 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.62 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 15.66 kg

Best-Selling Model--70004(42inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 21 W
- ⑤ Remote control: Wireless 433 MHz / Wall-mounted control
- ⑥ Maximum speed: ≤ 257 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 12.36 kg

Best-Selling Model--70006(42inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 21 W
- ⑤ Remote control: Wireless 433 MHz / Wall-mounted control
- ⑥ Maximum speed: ≤ 257 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 12.36 kg

Best-Selling Model--60011(42inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 106.7 \times 52$ cm (A)
- ② Material: PVC / Iron / Copper
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 38 W
- ⑥ Control method: Wireless 2.4G / Wall control / App
- ⑦ Maximum speed: ≤ 250 RPM
- ⑧ Remote control range: > 12 meters
- ⑨ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Quantity per carton: 1 piece
Outer carton dimensions: $52.8 \times 52.8 \times 16.7$ cm
Total carton weight: 6.10 kg

Modern Minimalist Style--60002(28inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 20 W
- ⑤ Remote control mode: 2.4G wireless / Wall control / App control
- ⑥ Maximum speed: ≤ 360 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 43.5 × 19 × 32.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 45.5 × 33.5 × 60 cm
Total carton weight: 12.36 kg

Modern Minimalist Style--60003(28inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 20 W
- ⑤ Remote control mode: 2.4G wireless / Wall control / App control
- ⑥ Maximum speed: ≤ 360 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 2 hours
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 43.5 × 19 × 32.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 45.5 × 33.5 × 60 cm
Total carton weight: 12.36 kg

Modern Minimalist Style-60012(36inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 91 \times 37$ cm (A)
- ② Material: ABS / Acrylic / Iron / Copper
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source: 20 W
- ⑥ Control method: Wireless 433 MHz / Wall controller
- ⑦ Maximum speed: ≤ 295 RPM
- ⑧ Remote control range: > 12 meters
- ⑨ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 42.5 × 32 × 18.3 cm
Net weight of item: 2.10 kg
Gross weight of item: 2.79 kg
Quantity per carton: 3 pieces
Outer carton dimensions: 58.00 × 33.00 × 44.00 cm
Total carton weight: 9.24 kg

Modern Minimalist Style--70001(36inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 20 W
- ⑤ Remote control: Wireless 433 MHz / Wall-mounted control
- ⑥ Maximum speed: ≤ 302 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 12.36 kg

Modern Minimalist Style--70002(36inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 20 W
- ⑤ Remote control: Wireless 433 MHz / Wall-mounted control
- ⑥ Maximum speed: ≤ 302 RPM
- ⑦ Remote control range: > 12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 12.36 kg

Modern Minimalist Style--60012(52inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100-240 V, 50/60 Hz
- ④ Light source power: 20 W
- ⑤ Control method: Wireless 433 MHz / Wall controller
- ⑥ Maximum speed: ≤ 213 RPM
- ⑦ Remote control range: >12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K-4500K-6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 12.36 kg

Modern Minimalist Style--60013(52inch)



Installation video



Product specifications

- ① Material: ABS / Acrylic / Iron / Copper
- ② Motor: BLDC motor
- ③ Rated voltage: 100–240 V, 50/60 Hz
- ④ Light source power: 20 W
- ⑤ Control method: Wireless 433 MHz / Wall controller
- ⑥ Maximum speed: ≤ 213 RPM
- ⑦ Remote control range: >12 meters
- ⑧ Number of fan blades: 3

Functional parameters

- ① Fan speeds: 6 adjustable airflow levels
- ② Fan rotation direction function
- ③ Timer function: Programmable shut-off after 1, 2, or 4 hours

Packaging information

Inner carton dimensions: 55.5 × 21 × 20.5 cm
Net product weight: 2.98 kg
Gross product weight: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 44.5 × 43.5 × 57 cm
Total carton weight: 12.36 kg

Wood & Home Decor Series--80001(41inch)



Product specifications

- ① Dimensions: $\Phi 104 \times 27$ cm (H)
- ② Material: Plywood + Acrylic + Aluminum Alloy + Copper + Iron
- ③ Motor: BLDC Motor
- ④ Rated Voltage: 95–265 V, 50/60 Hz
- ⑤ Light Source Power: 20 W
- ⑥ Motor Power: 27 W
- ⑦ Control Method: Wireless 2.4G / Wall Controller
- ⑧ Maximum Speed: ≤ 221 RPM
- ⑨ Number of Fan Blades: 3

Functional parameters

- ① Color temperature: LED with three-stage adjustment / 3000–6000K, stepless brightness control, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: 1/2/4H
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 42.5 × 32.5 × 19.5 cm
Net product weight: 2.34 kg
Gross product weight: 2.90 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 48.7 × 42.5 × 44.5 cm
Total carton weight: 12.6 kg

Wood & Home Decor Series--60004(42inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 106 \times 46$ cm (A)
- ② Material: Plywood / PS / PP / Iron / Copper
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 18 W
- ⑥ Remote control mode: Wireless 433 MHz / Wall control
- ⑦ Maximum speed: ≤ 220 rpm
- ⑧ Remote control range: >12 meters
- ⑨ Number of fan blades: 5

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K-4500K-6000K, with memory function for the light level
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Reversible fan direction function

Packaging information

Inner carton dimensions: $44.50 \times 35.00 \times 20.00$ cm
Net weight of item: 4.6 kg
Gross weight of item: 5.5 kg
Quantity per carton: 3 pieces
Outer carton dimensions: $45.00 \times 35.50 \times 60.50$ cm
Total carton weight: 17.5 kg

Wood & Home Decor Series--60009(42inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 106.7 \times 25$ cm (A)
- ② Material: Acrylic / Iron / Copper / Plywood
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source: 18 W
- ⑥ Control method: Wireless 433 MHz / Wall controller
- ⑦ Maximum speed: ≤ 240 RPM
- ⑧ Remote control range: >12 meters
- ⑨ Number of fan blades: 5

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K-4500K-6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 44 × 33 × 19 cm
Net weight of item: 3.9 kg
Gross weight of item: 4.62 kg
Quantity per carton: 3 pieces
Outer carton dimensions: 60 × 34 × 45.5 cm
Total carton weight: 14.6 kg

Wood & Home Decor Series--60005(52inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 132 \times 38.9$ cm (A)
- ② Material: PVC + Iron + Copper
- ③ Motor: BLDC Motor
- ④ Rated Voltage: 100–230 V, 50/60 Hz
- ⑤ Light Source Power: 15 W
- ⑥ Remote Control Mode: Wireless 433 MHz / Wall Control
- ⑦ Maximum Speed: ≤ 155 RPM
- ⑧ Remote Control Range: >12 meters
- ⑨ Number of Fan Blades: 5

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 43.5 × 19 × 32.5 cm
Net weight of item: 2.98 kg
Gross weight of item: 3.82 kg
Quantity per carton: 4 pieces
Outer carton dimensions: 45.5 × 33.5 × 60 cm
Total carton weight: 12.36 kg

Wood & Home Decor Series--60007(52inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 132 \times 22$ cm (A)
- ② Material: MDF / PVC / Iron / Copper
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 20 W
- ⑥ Remote control mode: 2.4G wireless / Wall control / App control
- ⑦ Maximum speed: ≤ 210 RPM
- ⑧ Remote control range: >12 meters
- ⑨ Number of fan blades: 6

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: $44 \times 33 \times 19$ cm
Gross weight of item: 5.4 kg
Quantity per carton: 3 pieces
Outer carton dimensions: $60 \times 34 \times 45.5$ cm
Total carton weight: 17.70 kg

Wood & Home Decor Series--60008(52inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 132 \times 22$ cm (A)
- ② Material: MDF / PVC / Iron / Copper
- ③ Motor: BLDC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 20 W
- ⑥ Remote control mode: 2.4G wireless / Wall control / App control
- ⑦ Maximum speed: ≤ 210 RPM
- ⑧ Remote control range: > 12 meters
- ⑨ Number of fan blades: 6

Functional parameters

- ① Lighting: Energy-saving LED light source / Stepless dimming / 3 adjustable color temperatures: 3000K–4500K–6000K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: Programmable shut-off after 1h, 2h, or 4h
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: $44 \times 33 \times 19$ cm
Gross weight of item: 5.5 kg
Quantity per carton: 3 pieces
Outer carton dimensions: $60 \times 34 \times 45.5$ cm
Total carton weight: 18.8 kg

Easy Installation Series--N42001(42inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 106.6 \times 27$ cm (H)
- ② Material: ABS / PC / Iron / Copper
- ③ Motor: DC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 18 W
- ⑥ Motor power: 22 W
- ⑦ Control method: Wireless 433 MHz / Wall controller
- ⑧ Maximum speed: ≤ 190 rpm
- ⑨ Number of fan blades: 3

Functional parameters

- ① Color temperature: LED with three-stage adjustable color temperature 3000–6500K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: 1/2/4H
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 44.0 × 32.1 × 19.3 cm
Net product weight: 1.86 kg
Gross product weight: 2.58 kg
Quantity per carton: 3 pieces
Outer carton dimensions: 59.2 × 45.0 × 33.1 cm
Total carton weight: 8.56 kg

Easy Installation Series--N36001(36inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 91.4 \times 27$ cm (H)
- ② Material: ABS / PC / Iron / Copper
- ③ Motor: DC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 18 W
- ⑥ Motor power: 20 W
- ⑦ Control method: Wireless 433 MHz / Wall controller
- ⑧ Maximum speed: ≤ 270 rpm
- ⑨ Number of fan blades: 3

Functional parameters

- ① Color temperature: LED with three-stage adjustable color temperature 3000–6500K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: 1/2/4H
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 35.9 × 32.1 × 19.3 cm
Net product weight: 1.73 kg
Gross product weight: 2.38 kg
Quantity per carton: 3 pieces
Outer carton dimensions: 59.2 × 36.9 × 33.1 cm
Total carton weight: 7.82 kg

Easy Installation Series--N28002(28inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 71.1 \times 27$ cm (H)
- ② Material: ABS / PC / Iron / Copper
- ③ Motor: DC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 18 W
- ⑥ Motor power: 14 W
- ⑦ Control method: Wireless 433 MHz / Wall controller
- ⑧ Maximum speed: ≤ 340 RPM
- ⑨ Number of fan blades: 6


Functional parameters

- ① Color temperature: LED with three-stage adjustable color temperature 3000–6500K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: 1/2/4H
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 42.2 × 18.5 × 18.8 cm
Net product weight: 1.7 kg
Gross product weight: 2.08 kg
Quantity per carton: 9 pieces
Outer carton dimensions: 58.0 × 43.5 × 58.5 cm
Total carton weight: 19.7 kg

Easy Installation Series--N28001(28inch)



Installation video



Product specifications

- ① Dimensions: $\Phi 71.1 \times 27$ cm (H)
- ② Material: ABS / PC / Iron / Copper
- ③ Motor: DC motor
- ④ Rated voltage: 100–240 V, 50/60 Hz
- ⑤ Light source power: 18 W
- ⑥ Motor power: 14 W
- ⑦ Control method: Wireless 433 MHz / Wall controller
- ⑧ Maximum speed: ≤ 340 RPM
- ⑨ Number of fan blades: 6

Functional parameters

- ① Color temperature: LED with three-stage adjustable color temperature 3000–6500K, with light memory function
- ② Fan speeds: 6 adjustable airflow levels
- ③ Timer function: 1/2/4H
- ④ Fan rotation direction function

Packaging information

Inner carton dimensions: 42.2 × 18.5 × 18.8 cm
Net product weight: 1.8 kg
Gross product weight: 2.13 kg
Quantity per carton: 9 pieces
Outer carton dimensions: 58.0 × 43.5 × 58.5 cm
Total carton weight: 20.2 kg

Easy Installation Series--X40(16inch)



Product specifications

- ① Dimensions: $\Phi 40 \times 17.5$ cm (H)
- ② Material: ABS / PC / Iron / Copper
- ③ Motor: Three-phase brushless copper motor
- ④ Rated voltage: 85–265 V, 50/60 Hz
- ⑤ Light source power: 18 W
- ⑥ Control method: Infrared remote control / Wall control
- ⑦ Maximum speed: ≤ 600 rpm
- ⑧ Number of fan blades: 3

Functional parameters

- ① Color temperature: LED with three-stage adjustable color temperature 3000–6500K, brightness control
- ② Fan speeds: 4 adjustable airflow levels

Packaging information

Inner carton dimensions: 22.5 × 22.5 × 20 cm
Net product weight: 0.95 kg
Gross product weight: 1 kg
Quantity per carton: 8 pieces
Outer carton dimensions: 46 × 46 × 41.5 cm
Total carton weight: 9 kg


Product configuration options

Wood grain finish options for the fan blades



There are also other options for wood grain designs.

Color temperature options



Continuously adjustable color temperature, continuously adjustable brightness control.

Product configuration options

Installation method



Mounting with hanging rod



Flush-mounted installation



E27 Threaded bushing assembly

Control method



Wireless 433 MHz

Wireless 315 M

Wall control

Infrared

Wireless 2.4G

Control through application

Sales partner support

Product material

- Product catalog
- Product images
- Technical data
- Marketing materials

Technical support

- Technical Support
- Installation Information
- Product Guide
- Customer Service

Effective communication

- Fast response time
- Professional communication
- Order tracking
- Collaboration support

Sales support

- Support for sales partners
- Product recommendations
- Assistance with model selection
- Support with market cooperation

Contact us

Call to action: Request the price list and further information.



Telephone number: 8613296563096



Gmail: info@airwit.com



Website: airwit.com

